

	L #	Hits	Search Text	DBs
1	L1	3819	((526/351) or (525/240) or (525/241)).CCLS.	USPA T
2	L2	14865	1 talc and pigment	USPA T
3	L3	3832	1 talc and pigment and "hydrogen concentration"	USPA T
4	L4	3823	1 talc and pigment and "hydrogen concentration" and article	USPA T
5	L5	3823	1 talc and pigment and "hydrogen concentration" and article and molded	USPA T
6	L10	338	1 and pigment	USPA T
7	L6	4	1 and talc and pigment and "hydrogen concentration" and article and molded	USPA T
8	L11	51532 5	1 and talc and pigment and "hydrogen concentration" and article and molded concentration	USPA T
9	L12	4	1 and talc and pigment and "hydrogen concentration" and article and molded and concentration	USPA T
10	L7	4	1 and talc and pigment and "hydrogen concentration" and article	USPA T
11	L8	6	1 and talc and pigment and "hydrogen concentration"	USPA T
12	L9	147	1 and talc and pigment	USPA T

* NOTICES *

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1] The coloring master-powder constituent for forming polypropylene resin containing a pigment, the pigment agent containing the denaturation wax, and a silane coupling agent.

[Claim 2] The coloring master-powder constituent according to claim 1 whose aforementioned silane coupling agent the pigment agent in which the aforementioned pigment contained the aforementioned denaturation wax 15 to 75% of the weight to the pigment agent containing the aforementioned pigment and the denaturation wax and a total of 100% of the weight of the silane coupling agent is 23 - 75 % of the weight, and is 2 - 10 % of the weight.

[Claim 3] The coloring master-powder constituent according to claim 1 or 2 whose aforementioned denaturation wax is a maleic-acid denaturation wax.

[Claim 4] The coloring master-powder constituent according to claim 1 to 3 whose aforementioned silane coupling agent is an amino silane compound.

[Claim 5] The coloring masterbatch constituent for forming polypropylene resin containing polypropylene resin, a denaturation polyolefine, a pigment, a pigment agent, and a silane coupling agent.

[Claim 6] The coloring masterbatch constituent according to claim 5 3 - 20 % of the weight and whose aforementioned silane coupling agent 3 - 40 % of the weight and the aforementioned pigment agent are [the aforementioned polypropylene resin / 5 - 88 % of the weight, and the aforementioned denaturation polyolefine] 1 - 5 % of the weight to the aforementioned polypropylene resin, a denaturation polyolefine, a pigment, a pigment agent, and a total of 100% of the weight of a silane coupling agent for 5 - 30 % of the weight, and the aforementioned pigment.

[Claim 7] The coloring masterbatch constituent according to claim 5 or 6 whose aforementioned denaturation polyolefine is maleic-anhydride graft polypropylene.

[Claim 8] The coloring masterbatch constituent for forming polypropylene resin containing polypropylene resin, a pigment, the pigment agent containing the denaturation wax, and a silane coupling agent.

[Claim 9] The coloring masterbatch constituent according to claim 7 whose aforementioned silane coupling agent the pigment agent in which the aforementioned pigment contained [the aforementioned polypropylene resin] the aforementioned denaturation wax three to 40% of the weight 35 to 93% of the weight to the pigment agent containing the aforementioned polypropylene resin, the pigment, and the denaturation wax and a total of 100% of the weight of the silane coupling agent is 3 - 20 % of the weight, and is 1 - 5 % of the weight.

[Claim 10] The coloring masterbatch constituent according to claim 8 or 9 whose aforementioned denaturation wax is a maleic-acid denaturation wax.

[Claim 11] The coloring masterbatch constituent according to claim 5 to 10 whose aforementioned silane coupling agent is an amino silane compound.

[Claim 12] The compound for forming polypropylene resin containing a propylene-alpha olefin

block-copolymer resin, a denaturation polyolefine, a pigment, a pigment agent, a silane coupling agent, a rubber component, and an inorganic filler.

[Claim 13] The compound according to claim 12 5 - 60 weight section and whose aforementioned inorganic filler 0.05 - 1 weight section and the aforementioned rubber component are [the aforementioned denaturation polyolefine / 0.3 - 6 weight section and the aforementioned pigment / 0.1 - 5 weight section and the aforementioned pigment agent] 5 - 80 weight sections to the aforementioned propylene-alpha olefin block-copolymer resin 100 weight section for 0.1 - 5 weight section and the aforementioned silane coupling agent.

[Claim 14] The compound according to claim 12 or 13 whose aforementioned denaturation polyolefine is maleic-anhydride graft polypropylene.

[Claim 15] The compound for forming polypropylene resin containing a propylene-alpha olefin block-copolymer resin, a pigment, the pigment agent containing the denaturation wax, a silane coupling agent, a rubber component, and an inorganic filler.

[Claim 16] The compound according to claim 15 5 - 60 weight section and whose aforementioned inorganic filler 0.05 - 1 weight section and the aforementioned rubber component are [the pigment agent in which the aforementioned pigment contained 0.1 - 5 weight section and the aforementioned denaturation wax to the aforementioned propylene-alpha olefin block-copolymer resin 100 weight section] 5 - 80 weight sections for 0.1 - 5 weight section and the aforementioned silane coupling agent.

[Claim 17] The compound according to claim 15 or 16 whose aforementioned denaturation wax is a maleic-acid denaturation wax.

[Claim 18] The compound according to claim 12 to 17 whose aforementioned silane coupling agent is an amino silane compound.

[Translation done.]